



# 2018 Audi Service

## 1 Table of Contents

USA5R514421 - 05/15/2024

⇒ **Maintenance Schedules (USA and Canada)**

## 2 Maintenance Schedules (USA and Canada)

⇒ **MY 2018 Audi Maintenance Schedule - United States**

⇒ **MY 2018 Audi Maintenance Schedule - Canada**

### 2.1 MY 2018 Audi Maintenance Schedule - United States

#### **Note**

The intervals shown in this table are based on vehicles operating under normal conditions. In case of severe conditions, such as extremely low temperatures, excessive dust, etc., it is necessary for certain operations to be carried out in between the given intervals. This applies particularly to engine oil changes and the cleaning or replacing of the air cleaner filter element.

| Service Intervals in Miles                  | 10K | 20K | 30K | 40K | 50K | 60K | 70K | 80K |
|---------------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|
| ⇒ <b>Minor Maintenance</b> <sup>1)</sup>    | X   |     | X   |     | X   |     | X   |     |
| ⇒ <b>Standard Maintenance</b> <sup>2)</sup> |     | X   |     | X   |     | X   |     | X   |
| ⇒ <b>Additional Maintenance Items</b>       |     |     |     |     |     |     |     |     |

<sup>1)</sup> **First minor maintenance service at 10,000 miles or 1 year after delivery, whichever occurs first. Minor maintenance services thereafter occur at intervals of 20,000 miles or every 2 years after the last minor maintenance service, whichever occurs first.**

<sup>2)</sup> **First standard maintenance service at 20,000 miles or 2 years after delivery, whichever occurs first. Standard maintenance services thereafter occur at intervals of 20,000 miles or every 2 years after the last standard maintenance service, whichever occurs first.**

✓ all completed items

#### 2.1.1 Minor Maintenance

| Labor Item                                                                                                     | Vehicle Application              |
|----------------------------------------------------------------------------------------------------------------|----------------------------------|
| <input type="checkbox"/> Brake System - Check the thickness of the disc brake pads                             | All Vehicles                     |
| <input type="checkbox"/> Engine Oil & Oil Filter - Change oil and replace filter                               | All Vehicles                     |
| <input type="checkbox"/> Multi-point Inspection - Complete                                                     | All Vehicles *No Labor Operation |
| <input type="checkbox"/> Service Reminder indicator display - Reset display                                    | All Vehicles                     |
| <input type="checkbox"/> Tire Repair Kit - Check and record the completeness and expiration date (if equipped) | All Vehicles                     |
| <input type="checkbox"/> See ⇒ <b>Additional Maintenance Items</b>                                             | All Vehicles                     |



## 2.1.2 Standard Maintenance

| Labor Item                                                                                                                                                                | Vehicle Application                                         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| <input type="checkbox"/> Safety Belts- Check function                                                                                                                     | All Vehicles                                                |
| <input type="checkbox"/> Body - Check for damage and corrosion                                                                                                            | All Vehicles                                                |
| <input type="checkbox"/> Brake System - Check condition of brake hoses and the presence of the bleeder caps                                                               | All Vehicles                                                |
| <input type="checkbox"/> Connected Box Battery-Check state of health with Vehicle Diagnostic Tester in Guided Functions                                                   | A4, S4, A4 allroad®<br>A5, S5, RS 5 3.0T,<br>Q5, SQ5,<br>Q7 |
| <input type="checkbox"/> Charging Socket - Check for contamination and damage                                                                                             | Only A3 e-tron®                                             |
| <input type="checkbox"/> Convertible Top - Lubricate latch mechanism                                                                                                      | Only A5 / S5 / RS 5 Cabriolet                               |
| <input type="checkbox"/> Cooling System for Electrical Components - Check coolant level                                                                                   | Only A3 e-tron®                                             |
| <input type="checkbox"/> Door Hinge & Door Latch - Lubricate                                                                                                              | All Vehicles                                                |
| <input type="checkbox"/> Engine Cooling System - Check freeze protection and coolant level                                                                                | All except e-tron®                                          |
| <input type="checkbox"/> Engine, Transmission, Final Drive, Steering - Visual inspection for leaks and damage                                                             | All Vehicles                                                |
| <input type="checkbox"/> Exterior Lighting - Check front and rear lights, turn signals, cornering lights, reverse lights, license plate lights, and hazard warning lights | All Vehicles                                                |
| <input type="checkbox"/> First Aid Kit - Check and enter expiration date YYYY / MM<br>_____                                                                               | All Vehicles                                                |
| <input type="checkbox"/> Front and Rear Axle / Suspension Components - Check dust seals on ball joints and tie rod ends; check for excessive play                         | All Vehicles                                                |
| <input type="checkbox"/> Fuel Tank Flap System - Check the water drain                                                                                                    | Only R8, R8 Spyder                                          |
| <input type="checkbox"/> Front Lid Latch - Lubricate                                                                                                                      | Only R8, R8 Spyder                                          |
| <input type="checkbox"/> Headlights - Check adjustment                                                                                                                    | All Vehicles                                                |
| <input type="checkbox"/> Hood Safety Catch – Lubricate                                                                                                                    | Only A3, Q3, A6, A7, A8, Q7, R8                             |
| <input type="checkbox"/> Horn - Check function                                                                                                                            | All Vehicles                                                |
| <input type="checkbox"/> Instrument Cluster - Check warning and indicator lights                                                                                          | All Vehicles                                                |
| <input type="checkbox"/> Interior Lights - Check all interior lights, trunk lights and glove box compartment illumination                                                 | All Vehicles                                                |
| <input type="checkbox"/> Multi-point Inspection - Complete                                                                                                                | All Vehicles<br>*No Labor Operation                         |
| <input type="checkbox"/> Oil Filler Area - Check water drain                                                                                                              | Only R8, R8 Spyder                                          |
| <input type="checkbox"/> Panoramic Sunroof Systems - Clean guide rails and lubricate with grease (if equipped)                                                            | Only A8                                                     |
| <input type="checkbox"/> Plenum Chamber and Water Drain Valves - Check for dirt.<br>NOTE: Time spent cleaning of item is a separate charge for service time               | Only A6, A7, A8, Q7                                         |



| Labor Item                                                                                                                                                                                                                                                 | Vehicle Application          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|
| <input type="checkbox"/> Road Test - Check engine performance, clutch, manual / auto transmission, braking (including hand and foot brake), steering, wheels, wheel bearings, driveshaft, horn, hybrid vehicles (electric drive for operational readiness) | All Vehicles                 |
| <input type="checkbox"/> Rollover Protection - Check the rollover protection when the convertible top is open                                                                                                                                              | Only R8 Spyder, A3 Cabriolet |
| <input type="checkbox"/> Spare Tire - Check condition and tire inflation pressure, adjust if necessary (if equipped)                                                                                                                                       | All Vehicles                 |
| <input type="checkbox"/> Spoiler - Lubricate rear spoiler                                                                                                                                                                                                  | Only TT, A7, S7, RS7         |
| <input type="checkbox"/> Sunroof Systems - Check function (if equipped)                                                                                                                                                                                    | All Vehicles                 |
| <input type="checkbox"/> Tires - Check condition and tire tread wear; Check and record the tread depth.                                                                                                                                                    | All Vehicles                 |
| <input type="checkbox"/> Tires - Check tire inflation pressure and adjust if necessary                                                                                                                                                                     | All Vehicles                 |
| <input type="checkbox"/> Underbody - Check the covers and inner fender liners for damage and correct fit                                                                                                                                                   | All Vehicles                 |
| <input type="checkbox"/> Warning Triangle - check if present (if equipped)                                                                                                                                                                                 | All Vehicles                 |
| <input type="checkbox"/> Windshield Washer and Headlight Washing System - Add fluid if necessary; Check adjustment and function                                                                                                                            | All Vehicles                 |
| <input type="checkbox"/> Wiper Blades - Check condition and replace if necessary                                                                                                                                                                           | All Vehicles                 |
| <input type="checkbox"/> See ⇒ <b>Additional Maintenance Items</b>                                                                                                                                                                                         | All Vehicles                 |

### 2.1.3 Additional Maintenance Items

| Labor Item                                                                                                                      | Interval                                                | Vehicle Application                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|-------------------------------------------------------------------------------------------|
| <input type="checkbox"/> Air Filter - Replace                                                                                   | Every 40,000 miles                                      | Only RS7, A8 LWB                                                                          |
| <input type="checkbox"/> Air Filter - Replace                                                                                   | Every 60,000 miles                                      | All except RS7 and A8 LWB                                                                 |
| <input type="checkbox"/> AWD Clutch - Change fluid (if equipped)                                                                | Every 3 years                                           | A3 quattro®, S3, RS 3, Q3 quattro®, TT Coupe 2.0T, TTS Coupe 2.0T, TT Roadster 2.0T, TTRS |
| <input type="checkbox"/> Brake and Clutch System, Changing Brake Fluid                                                          | Every 2 years                                           | All Vehicles                                                                              |
| <input type="checkbox"/> Dust and Pollen Filter - Replace                                                                       | Every 20,000 miles or 2 years, whichever occurs first   | All Vehicles                                                                              |
| <input type="checkbox"/> Front Axle Differential - Change fluid (if equipped)                                                   | Every 120,000 miles or 10 years, whichever occurs first | Only R8                                                                                   |
| <input type="checkbox"/> Panoramic sunroof systems (PSD) - Check drainage system by fluid check according to Elsa (if equipped) | Every 20,000 miles or 2 years, whichever occurs first   | All Vehicles with 3FU PR-Code                                                             |
| <input type="checkbox"/> Rear Axle, quattro® Sport - Oil and ATF fluid changes                                                  | Every 40,000 miles                                      | Only RS7, RS7 performance                                                                 |



| Labor Item                                                                       | Interval                                              | Vehicle Application                                                                                                                                                      |
|----------------------------------------------------------------------------------|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> Rear Axle, quattro® Sport - Oil and ATF fluid changes   | Every 60,000 miles                                    | Only RS 5                                                                                                                                                                |
| <input type="checkbox"/> Ribbed V-belt - Replace                                 | Every 60,000 miles                                    | A6 3.0T, A6 Competition 3.0T, A7 3.0T, A7 Competition 3.0T, A8 3.0T, Q7 3.0T                                                                                             |
| <input type="checkbox"/> Spark Plugs - Replace                                   | Every 30,000 miles or 3 years, whichever occurs first | Only RS 3, RS 5, RS7 performance, S8 plus, TTRS                                                                                                                          |
| <input type="checkbox"/> Spark Plugs - Replace                                   | Every 40,000 miles or 6 years, whichever occurs first | A3, S3, A3 e-tron®, TT 2.0T, TTS, A4, S4, A4 allroad®, A5, S5, A6 2.0T, S6 4.0T, S7 4.0T, RS7 4.0T (except RS7 performance, A8 L 4.0T (except S8 plus), Q5, SQ5, Q7 2.0T |
| <input type="checkbox"/> Spark Plugs - Replace                                   | Every 60,000 miles or 6 years, whichever occurs first | Q3, A6 3.0T, A6 Competition 3.0T, A7 3.0T, A7 Competition 3.0T, A8 L 3.0T, Q7 3.0T, R8                                                                                   |
| <input type="checkbox"/> S tronic Transmission - Change fluid                    | Every 80,000 miles                                    | A3 Sedan 2.0T B-cycle, A3 Cabriolet 2.0T B-cycle, S3                                                                                                                     |
| <input type="checkbox"/> S tronic Transmission - Change fluid and filter replace | Every 40,000 miles                                    | A3 Cabriolet 2.0T (non B-cycle), A3 Sedan 2.0T (non B-cycle), S6 4.0T, S7 4.0T, TT Coupe 2.0T, TTS Coupe 2.0T, TT Roadster 2.0T, R8                                      |
| <input type="checkbox"/> S tronic Transmission - Change fluid                    | Every 40,000 miles                                    | A3 e-tron®, RS 3, A4 2.0T, A4 allroad®, A5 2.0T (Coupe / Cabriolet / Sportback), A6 2.0T, Q5 2.0T, TTRS,                                                                 |

## 2.2 MY 2018 Audi Maintenance Schedule - Canada

### Note

The intervals shown in this table are based on vehicles operating under normal conditions. In case of severe conditions, such as extremely low temperatures, excessive dust, etc., it is necessary for certain operations to be carried out in between the given intervals. This applies particularly to engine oil changes and the cleaning or replacing of the air cleaner filter element.



| Service Intervals in Kilometers      | 15K | 30K | 45K | 60K | 75K | 90K | 105 K | 120 K |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-------|-------|
| ⇒ Minor Maintenance <sup>1)</sup>    | X   |     | X   |     | X   |     | X     |       |
| ⇒ Standard Maintenance <sup>2)</sup> |     | X   |     | X   |     | X   |       | X     |
| ⇒ Additional Maintenance Items       |     |     |     |     |     |     |       |       |

<sup>1)</sup> First minor maintenance service at 15,000 km or 1 year after delivery, whichever occurs first. Minor maintenance services thereafter occur at intervals of 30,000 km or every 2 years after the last minor maintenance service, whichever occurs first.

<sup>2)</sup> First standard maintenance service at 30,000 km or 2 years after delivery, whichever occurs first. Standard maintenance services thereafter occur at intervals of 30,000 km or every 2 years after the last standard maintenance service, whichever occurs first.

✓ all completed items

### 2.2.1 Minor Maintenance

| Labor Item                                                                                                     | Vehicle Application |
|----------------------------------------------------------------------------------------------------------------|---------------------|
| <input type="checkbox"/> Brake System - Check the thickness of the disc brake pads                             | All Vehicles        |
| <input type="checkbox"/> Engine Oil & Oil Filter - Change oil and replace filter                               | All Vehicles        |
| <input type="checkbox"/> Service Reminder indicator display - Reset display                                    | All Vehicles        |
| <input type="checkbox"/> Tire Repair Kit - Check and record the completeness and expiration date (if equipped) | All Vehicles        |
| <input type="checkbox"/> See ⇒ Additional Maintenance Items                                                    | All Vehicles        |

### 2.2.2 Standard Maintenance

| Labor Item                                                                                                              | Vehicle Application                                         |
|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| <input type="checkbox"/> Safety Belts- Check function                                                                   | All Vehicles                                                |
| <input type="checkbox"/> Body - Check for damage and corrosion                                                          | All Vehicles                                                |
| <input type="checkbox"/> Brake System - Check condition of brake hoses and the presence of the bleeder caps             | All Vehicles                                                |
| <input type="checkbox"/> Connected Box Battery-Check state of health with Vehicle Diagnostic Tester in Guided Functions | A4, S4, A4 allroad®<br>A5, S5, RS 5 3.0T,<br>Q5, SQ5,<br>Q7 |
| <input type="checkbox"/> Charging Socket - Check for contamination and damage                                           | A3 e-tron®                                                  |
| <input type="checkbox"/> Convertible Top - Lubricate latch mechanism                                                    | Only A5 / S5 / RS 5 Cabriolet                               |
| <input type="checkbox"/> Cooling System for Electrical Components - Check coolant level                                 | A3 e-tron®                                                  |
| <input type="checkbox"/> Door Hinge & Door Latch - Lubricate                                                            | All Vehicles                                                |
| <input type="checkbox"/> Engine Cooling System - Check freeze protection and coolant level                              | All except e-tron®                                          |
| <input type="checkbox"/> Engine, Transmission, Final Drive, Steering - Visual inspection for leaks and damage           | All Vehicles                                                |



| Labor Item                                                                                                                                                                                                                                                 | Vehicle Application        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| <input type="checkbox"/> Exterior Lighting - Check front and rear lights, turn signals, cornering lights, reverse lights, license plate lights, and hazard warning lights                                                                                  | All Vehicles               |
| <input type="checkbox"/> First Aid Kit - Check and enter expiration date YYYY / MM<br>_____                                                                                                                                                                | All Vehicles               |
| <input type="checkbox"/> Front and Rear Axle / Suspension Components - Check dust seals on ball joints and tie rod ends; check for excessive play                                                                                                          | All Vehicles               |
| <input type="checkbox"/> Fuel Tank Flap System - Check the water drain                                                                                                                                                                                     | R8, R8 Spyder              |
| <input type="checkbox"/> Front Lid Latch - Lubricate                                                                                                                                                                                                       | R8, R8 Spyder              |
| <input type="checkbox"/> Headlights - Check adjustment                                                                                                                                                                                                     | All Vehicles               |
| <input type="checkbox"/> Hood Safety Catch - Lubricate                                                                                                                                                                                                     | A3, Q3, A6, A7, A8, Q7, R8 |
| <input type="checkbox"/> Horn - Check function                                                                                                                                                                                                             | All Vehicles               |
| <input type="checkbox"/> Instrument Cluster - Check warning and indicator lights                                                                                                                                                                           | All Vehicles               |
| <input type="checkbox"/> Interior Lights - Check all interior lights, trunk lights and glove box compartment illumination                                                                                                                                  | All Vehicles               |
| <input type="checkbox"/> Oil Filler Area - Check water drain                                                                                                                                                                                               | R8, R8 Spyder              |
| <input type="checkbox"/> Panoramic Sunroof Systems - Clean guide rails and lubricate with grease (if equipped)                                                                                                                                             | Only A8                    |
| <input type="checkbox"/> Plenum Chamber and Water Drain Valves - Check for dirt.<br>NOTE: Time spent cleaning of item is a separate charge for service time                                                                                                | A6, A7, A8, Q7             |
| <input type="checkbox"/> Road Test - Check engine performance, clutch, manual / auto transmission, braking (including hand and foot brake), steering, wheels, wheel bearings, driveshaft, horn, hybrid vehicles (electric drive for operational readiness) | All Vehicles               |
| <input type="checkbox"/> Rollover Protection - Check the rollover protection when the convertible top is open                                                                                                                                              | R8 Spyder, A3 Cabriolet    |
| <input type="checkbox"/> Spare Tire - Check condition and tire inflation pressure, adjust if necessary (if equipped)                                                                                                                                       | All Vehicles               |
| <input type="checkbox"/> Spoiler - Lubricate rear spoiler                                                                                                                                                                                                  | TT, A7, S7, RS7            |
| <input type="checkbox"/> Sunroof Systems - Check function (if equipped)                                                                                                                                                                                    | All Vehicles               |
| <input type="checkbox"/> Tires - Check condition and tire tread wear; Check and record the tread depth.                                                                                                                                                    | All Vehicles               |
| <input type="checkbox"/> Tires - Check tire inflation pressure and adjust if necessary                                                                                                                                                                     | All Vehicles               |
| <input type="checkbox"/> Underbody - Check the covers and inner fender liners for damage and correct fit                                                                                                                                                   | All Vehicles               |
| <input type="checkbox"/> Warning Triangle - check if present (if equipped)                                                                                                                                                                                 | All Vehicles               |
| <input type="checkbox"/> Windshield Washer and Headlight Washing System - Add fluid if necessary; Check adjustment and function                                                                                                                            | All Vehicles               |
| <input type="checkbox"/> Wiper Blades - Check condition and replace if necessary                                                                                                                                                                           | All Vehicles               |
| <input type="checkbox"/> See ⇒ <b>Additional Maintenance Items</b>                                                                                                                                                                                         | All Vehicles               |



### 2.2.3 Additional Maintenance Items

| Labor Item                                                                                                                      | Interval                                            | Vehicle Application                                                                                                                                                      |
|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> Air Filter - Replace                                                                                   | Every 60,000km                                      | RS7, A8 LWB Only                                                                                                                                                         |
| <input type="checkbox"/> Air Filter - Replace                                                                                   | Every 90,000km                                      | All Vehicles except RS7 and A8 LWB                                                                                                                                       |
| <input type="checkbox"/> AWD Clutch - Change fluid (if equipped)                                                                | Every 3 years                                       | A3 quattro®, S3, RS 3, Q3 quattro®, TT Coupe 2.0T, TTS Coupe 2.0T, TT Roadster 2.0T, TTRS                                                                                |
| <input type="checkbox"/> Brake and Clutch System, Changing Brake Fluid                                                          | Every 2 years                                       | All Vehicles                                                                                                                                                             |
| <input type="checkbox"/> Dust and Pollen Filter - Replace                                                                       | Every 30,000km or 2 years, whichever occurs first   | All Vehicles                                                                                                                                                             |
| <input type="checkbox"/> Front Axle Differential - Change fluid (if equipped)                                                   | Every 180,000km or 10 years, whichever occurs first | R8 Only                                                                                                                                                                  |
| <input type="checkbox"/> Panoramic sunroof systems (PSD) - Check drainage system by fluid check according to Elsa (if equipped) | Every 30,000km or 2 years, whichever occurs first   | All Vehicles with 3FU PR-Code                                                                                                                                            |
| <input type="checkbox"/> Rear Axle, quattro® Sport - Change oil and ATF fluid changes                                           | Every 60,000km                                      | RS7, RS7 performance Only                                                                                                                                                |
| <input type="checkbox"/> Rear Axle, quattro® Sport - Change oil and ATF fluid changes                                           | Every 90,000km                                      | RS 5 Only                                                                                                                                                                |
| <input type="checkbox"/> Ribbed V-belt - Replace                                                                                | Every 90,000km                                      | A6 3.0T, A6 Competition 3.0T, A7 3.0T, A7 Competition 3.0T, A8 3.0T, Q7 3.0T                                                                                             |
| <input type="checkbox"/> Spark Plugs - Replace                                                                                  | Every 45,000km or 3 years, whichever occurs first   | Only RS 3, RS 5, RS7 performance, S8 plus, TTRS                                                                                                                          |
| <input type="checkbox"/> Spark Plugs - Replace                                                                                  | Every 60,000km or 6 years, whichever occurs first   | A3,S3, A3 e-tron®, TT 2.0T, TTS, A4, S4, A4 allroad®, A5, S5, A6 2.0T, S6 4.0T, S7 4.0T, RS7 4.0T (except RS7 performance), A8 L 4.0T (except S8 plus), Q5, SQ5, Q7 2.0T |
| <input type="checkbox"/> Spark Plugs - Replace                                                                                  | Every 90,000km or 6 years, whichever occurs first   | Q3, A6 3.0T, A6 Competition 3.0T, A7 3.0T, A7 Competition 3.0T, A8 L 3.0T, Q7 3.0T, R8                                                                                   |
| <input type="checkbox"/> S tronic Transmission - Change fluid                                                                   | Every 120,000km                                     | A3 Sedan 2.0T B-cycle, A3 Cabriolet 2.0T B-cycle, S3                                                                                                                     |



| Labor Item                                                               | Interval       | Vehicle Application                                                                                                                 |
|--------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> S tronic Transmission - Change fluid and filter | Every 60,000km | A3 Cabriolet 2.0T (non B-cycle), A3 Sedan 2.0T (non B-cycle), S6 4.0T, S7 4.0T, TT Coupe 2.0T, TTS Coupe 2.0T, TT Roadster 2.0T, R8 |
| <input type="checkbox"/> S tronic Transmission - Change fluid            | Every 60,000km | A3 e-tron®, RS 3, A4 2.0T, A4 allroad®, A5 2.0T (Coupe / Cabriolet / Sportback), A6 2.0T, Q5 2.0T, TTRS,                            |